

PAVING SOLUTIONS RENTAL GUIDE



Ring Power®

CAT®

**YOUR PAVING PARTNER
HEAVY EQUIPMENT RENTALS**



COMPLETE EVERY PAVING JOB ON TIME AND ON SPEC

Time and material cost money. Having the right paving equipment for the job is crucial to your productivity and overall project performance. Ring Power has Cat® and Weiler Paving Equipment available for rent to help you finish every job on time and on spec.

There are many reasons to rent equipment – improving cash flow, increasing borrowing power, simplifying your budget with fixed rental costs, supplementing your fleet or trying new machines. And, if you find the perfect machine, we will work with you on Rental with Purchase Options (RPO).

ASPHALT PAVERS



WHEELED	Gross Power	Standard Paving Range	Operating Weight
Cat® AP500F	142 hp	8' 4" - 16' 4"	29,020 lbs
Cat® AP600F	173 hp	8' 4" - 16' 4"	30,522 lbs
Cat® AP1000F	225 hp	9' 10" - 19' 6"	45,090 lbs
TRACKED			
Cat® AP355F	74.8 hp	5' 9" - 11' 2"	19,246 lbs
Cat® AP555F	142 hp	8' 4" - 16' 4"	30,430 lbs
Cat® AP655F	173 hp	8' 4" - 16' 4"	34,356 lbs
Cat® AP1055F	225 hp	9' 10" - 19' 6"	45,090 lbs
Weiler P65	49 hp	7' 8" - 13'	12,600 lbs
Weiler P195	67 hp	3' 10" - 7'	14,000 lbs
Weiler P265	74 hp	7' 8" - 14' 4"	16,200 lbs
Weiler P385B	100 hp	8' - 15' 8"	20,000 lbs



COLD PLANERS

MODEL	Rated Power	Milling Width	Milling Depth
Cat® PM822	800.6 hp	88 in	13 in

RECLAIMERS/STABILIZERS



MODEL	Gross Power	Cutting Width/Mixing Depth	Operating Weight
Cat® RM400	415.7 hp	96 in / 20 in	58,863 lbs
Cat® RM500B	546 hp	96 in / 20 in	62,611 lbs
Weiler S200	375 hp	78 in / 14 in	40,000 lbs

COMPACTORS & ROLLERS



PNEUMATIC ROLLERS	Gross Power	Compaction Width	Operating Weight
Weiler CT3	36 hp	60 in	5,000 lbs
Cat® CW16 9 Wheel	100 hp	68 in	33,069 lbs
Cat® CW34	133 hp	82 in	59,525 lbs
TANDEM VIBRATORY ROLLERS			
Cat® CB1.7	24.7 hp	35 in	3,538 lbs
Cat® CB1.8	24.7 hp	39 in	3,825 lbs
Cat® CB7	100 hp	59 in	19,015 lbs
Cat® CB8	100 hp	67 in	18,783 lbs
Cat® CB10	131 hp	67 in	21,638 lbs
Cat® CB22B	36.2 hp	39 in	5,629 lbs
Cat® CB24B	36.2 hp	47 in	6,003 lbs
Cat® CB24B XT	36.2 hp	47 in	6,885 lbs
Cat® CB32B	36.2 hp	51 in	6,190 lbs
Cat® CB34B	48.8 hp	51 in	8,157 lbs
Cat® CB36B	48.8 hp	55 in	8,385 lbs
Cat® CB13 – OSCILLATORY OPTION	142 hp	79 in	28,440 lbs
Cat® CB15 – OSCILLATORY OPTION	142 hp	84 in	31,941 lbs
Cat® CB16 – OSCILLATORY OPTION	142 hp	84 in	28,958 lbs
Cat® CC24B - COMBI OPTION	36.2 hp	47 in	5,380 lbs
Cat® CC34B - COMBI OPTION	48.8 hp	51 in	7,446 lbs

COMPACTORS & ROLLERS (Continued)



STATIC ROLLERS			
Weiler C303	36 hp	48 in	5,700 lbs
Weiler C307A	74 hp	50 in	20,500 lbs
Weiler C310A	74 hp	50 in	26,580 lbs
VIBRATORY SOIL COMPACTORS			
Cat® CS34	74 hp	50 in	15,300 lbs
Cat® CS44B	100.6 hp	66 in	15,895 lbs
Cat® CS10 GC	112 hp	84 in	23,036 lbs
Cat® CS11 GC	112 hp	84 in	24,000 lbs
Cat® CS12 GC	112 hp	84 in	27,798 lbs
Cat® CS54B	131 hp	84 in	23,265 lbs
Cat® CS56B	157 hp	84 in	25,346 lbs
Cat® CP44B	100.6 hp	66 in	16,471 lbs
Cat® CP54B	131 hp	84 in	24,539 lbs
Cat® CP56B	157 hp	84 in	25,707 lbs



ROAD WIDENERS



MODEL	Gross Power	Widening Width	Operating Weight
Weiler W430A	74 hp	1' - 8'	19,500 lbs
Weiler W530A	137 hp	1' - 10'	26,327 lbs
Weiler W730B	174 hp	1' - 14'	34,160 lbs



MATERIAL TRANSFER VEHICLES



MODEL	Storage Capacity	Elevator Output	Discharge Output
Weiler E1250B	N/A	600 tph	600 tph
Weiler E1650A	15 tons	1,000 tph	600 tph
Weiler E2850B	25 tons	1,000 tph	600 tph

BROOMS



MODEL	Gross Power	Sweeping Path/Angle	Operating Weight
Front Mount Broom	74 hp	96"/ 35° Left or Right	6,500 lbs
Mid-Mount Broom	74 hp	96"/ 45° Left or Right	5,300 lbs



MOTOR GRADERS

MODEL	Power	Blade Width	Operating Weight
Cat® 120/120 AWD	139 hp	12 ft	35,067 lbs
Cat® 140/140 AWD	179 hp	12 ft	42,647 lbs
Cat® 140/140 AWD-LVR	250 hp	12 ft	42,235 lbs
Cat® 140 GC/140 GC AWD	196 hp	12 ft	38,912 lbs
Cat® 150/150 AWD	200 hp	12 ft	43,950 lbs
NorAm 65E	120 hp	10 ft	16,900 lbs



WATER TRUCKS

MODEL	Tank Capacity
On-Road Water Truck	2,500 gal
912 Hydreema Water Wagon	2,600 gal
On-Road Water Truck	5,000 gal
Cat® 725 Water Wagon	5,000 gal



CRASH ATTENUATOR TRUCKS

MODEL	Crash Rating	Arrow Board	Federal / State Regulations
Traffix Scorpion® TMA Model TL-3	Up to 65 mph	Solar Powered	Meets All Work Zone Safety Requirements

**MILLING AND COLD
PLANER ATTACHMENTS
ARE ALSO AVAILABLE
FOR COMPACT MACHINES**

TECHNOLOGY PAYS OFF

Take advantage of the integrated Cat® Paving Technology that comes standard on most of our Cat® rental machines. Complete jobs faster with greater accuracy and spot-on paving quality.

- Cat® Grade Control maximizes consistency.
- Cat® Compaction Control helps operators meet specs in fewer passes.
- Cat® Product Link gives you real time information about your machine health, location and utilization.

These systems reduce equipment hours, fuel consumption, labor costs and more, giving you better productivity, efficiency and safety on the jobsite and higher margins on the bottom line.



YOUR TRUSTED SOURCE FOR EQUIPMENT RENTALS, SALES, SERVICE, PARTS, AND MORE

You need a rental equipment partner you can trust – someone who understands your business and challenges. Since 1962, Ring Power has been providing equipment solutions, parts and service expertise, training, financing, and other benefits designed to make your business stronger.

Each machine in our rental fleet is regularly inspected and meticulously maintained for maximum efficiency, reliability, and safety - which also helps minimize your fuel and operational costs. We are a phone call away if you have a question or issue, and 24-hour emergency support is available.

Contact your closest Heavy Equipment Rental Location for equipment rental quotes and availability:



TALLAHASSEE | PERRY | LAKE CITY | GAINESVILLE
OCALA | JACKSONVILLE | ST. AUGUSTINE | DAYTONA BEACH

904-737-7730 ext. 1284

BROOKSVILLE | LAKELAND | TAMPA | SARASOTA

813-671-3700 ext. 8111

ORLANDO | PALM BAY

407-855-6195 ext. 3202



Scan to Visit our Online Rental Store